L Number	Hits	Search Text	DB	Time stamp
–	1	("6,074,434").PN.	USPAT	2004/09/27 13:51
–	0	yodlec.com$.as.	USPAT; US-PGPUB; EPO; JPO	2004/09/27 13:52
–	0	yodlec$.as.	USPAT; US-PGPUB; EPO; JPO	2004/09/27 13:52
–	18	yodlee$.as.	USPAT; US-PGPUB; EPO; JPO	2004/09/27 13:53
–	0	yodlee$.as. and non-sensitive	USPAT; US-PGPUB; EPO; JPO	2004/09/27 13:54
–	1	yodlee$.as. and sensitive	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:04
–	9	yodlee$.as. and secure	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:10
–	1	aggregat$3 same de-sensitiz$3	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:11
–	4	non-sensitive same summar$3	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:22
–	17	split$4 near5 secure near5 non-secure	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:23
–	0	split$4 near5 secure near5 non-secure same transaction	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:23
–	2	split$4 near5 secure same transaction	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:24
–	127	profile near5 sensitive and transaction	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:27
–	51	profile near5 sensitive and transaction and database and network	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:28
–	37	profile near5 sensitive and transaction and database and network and session	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:28
–	28	(profile near5 sensitive and transaction and database and network and session) and password	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:28
–	28	(US-5915001-$ or US-6400806-$ or US-6711618-$ or US-6751618-$).did. or (US-20040139010-$ or US-20040139009-$ or US-20040139011-$ or US-20040143546-$ or US-20040133514-$ or US-20040133515-$ or US-20020138728-$ or US-20040088251-$ or US-20030167222-$ or US-20040009761-$ or US-20040088255-$ or US-20040111360-$ or US-20040133509-$ or US-20040133513-$ or US-20040054572-$ or US-20040088237-$ or US-20020080927-$ or US-20040088254-$ or US-20040088235-$ or US-20020077929-$ or US-20010020242-$ or US-20010027519-$ or US-20020010798-$ or US-20020059369-$).did.	USPAT; US-PGPUB	2004/09/27 14:28

-	28	((US-5915001-$ or US-6400806-$ or US-6711618-$ or US-6751618-$).did. or (US-20040139010-$ or US-20040139009-$ or US-20040139011-$ or US-20040143546-$ or US-20040133514-$ or US-20040133515-$ or US-20020138728-$ or US-20040088251-$ or US-20030167222-$ or US-20040009761-$ or US-20040088255-$ or US-20040111360-$ or US-20040133509-$ or US-20040133513-$ or US-20040054572-$ or US-20040088237-$ or US-20020080927-$ or US-20040088254-$ or US-20040088235-$ or US-20020077929-$ or US-20010020242-$ or US-20010027519-$ or US-20020010798-$ or US-20020059369-$).did.) and profile near5 sensitive	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:35
-	442	online near3 banking	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:43
-	1	(online near3 banking) and (pars$ near5 secur$5)	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:37
-	18	(online near3 banking) and (separat$3 near5 secur$5)	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:37
-	52	merchant near5 secure and (user near3 profile)	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:50
-	4192	merchant near5 hid$3 secure and (user near3 profile)	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:45
-	0	merchant near5 hid$3 near5 secure and (user near3 profile)	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:45
-	12	minimiz$3 near5 secure and (user near3 profile)	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:53
-	15	partial near5 secure and (user near3 profile)	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:57
-	7	SSL near3 non-secure and (user near3 profile)	USPAT; US-PGPUB; EPO; JPO	2004/09/27 14:59
-	0	both near5 SSL near5 HTML and (user near3 profile)	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:00
-	59	combination near5 secure and (user near3 profile)	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:00
-	0	both near5 SSL near5 HTML	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:01
-	0	combination near5 SSL near5 HTML	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:01
-	77	SSL near5 HTML	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:01
-	41	SSL near5 HTML and profile	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:06
-	0	selective near3 SSL same profile	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:06
-	9	selective near3 SSL	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:08
-	0	hide near5 secure same profile	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:08

–	0	SSL near3 mix$3 near3 HTML	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:09
–	4	hid$3 near5 secure same profile	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:09
–	9	pars$3 near5 SSL	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:12
–	24	SSL near3 HTML	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:17
–	0	SSL near5 conversion near5 HTML	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:17
–	0	SSL near5 minimi$6 near5 HTML	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:17
–	2	SSL near5 part$5 near5 HTML	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:19
–	12	selective near5 SSL	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:19
–	110	limited near5 SSL	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:19
–	3	limited near5 SSL same profile	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:23
–	45	combin$5 near5 ((encrypt$3 near5 non-encrypt$3) or (secur$5 near5 non-secur$5))	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:28
–	75	(pars$5 or separat$3 or divid$3 or split$3) near5 ((encrypt$3 near5 non-encrypt$3) or (secur$5 near5 non-secur$5))	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:29
–	3	(pars$5 or separat$3 or divid$3 or split$3) near5 ((encrypt$3 near5 non-encrypt$3) or (secur$5 near5 non-secur$5)) and merchant	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:29
–	3	((pars$5 or separat$3 or divid$3 or split$3) near5 ((encrypt$3 near5 non-encrypt$3) or (secur$5 near5 non-secur$5))) and merchant	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:31
–	13	convert$3 near5 non-secure	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:32
–	17	display near5 non-secure near5 secure	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:34
–	0	display near5 only near5 non-secure	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:34
–	49	display near5 only near5 secure	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:36
–	6	de-secure$5	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:36
–	269	de-sensiti$5	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:36
–	0	de-sensiti$5 same SSL	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:36
–	0	de-sensiti$5 and SSL	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:37
–	1	de-sensiti$5 and HTML	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:38

–	15	hide near5 password same display$3	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:41
–	247	protect near5 password and HTML	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:41
–	179	protect near5 password and HTML and transaction	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:41
–	27	protect near5 password and HTML and transaction and merchant	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:41
–	27	(US-6496802-$ or US-6711474-$ or US-6687745-$ or US-6141653-$ or US-6338050-$ or US-6609105-$ or US-6526335-$ or US-6332135-$ or US-6336105-$).did. or (US-20030208684-$ or US-20030220984-$ or US-20030208682-$ or US-20020040346-$ or US-20030177179-$ or US-20030200184-$ or US-20020029249-$ or US-20020029248-$ or US-20010049630-$ or US-20030221189-$ or US-20030233328-$ or US-20030221112-$ or US-20020029279-$ or US-20030172090-$ or US-20020059430-$ or US-20020059381-$ or US-20030177178-$ or US-20040044739-$).did.	USPAT; US-PGPUB	2004/09/27 15:41
–	27	((US-6496802-$ or US-6711474-$ or US-6687745-$ or US-6141653-$ or US-6338050-$ or US-6609105-$ or US-6526335-$ or US-6332135-$ or US-6336105-$).did. or (US-20030208684-$ or US-20030220984-$ or US-20030208682-$ or US-20020040346-$ or US-20030177179-$ or US-20030200184-$ or US-20020029249-$ or US-20020029248-$ or US-20010049630-$ or US-20030221189-$ or US-20030233328-$ or US-20030221112-$ or US-20020029279-$ or US-20030172090-$ or US-20020059430-$ or US-20020059381-$ or US-20030177178-$ or US-20040044739-$).did.) and protect near5 password	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:48
–	7	merchant near5 without near5 password	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:51
–	370	third adj party near5 password	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:51
–	33	third adj party near5 password and merchant	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:52
–	84	decrypt$3 near5 password and merchant	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:53

–	0	((US-6427140-$ or US-5996076-$ or US-6549912-$ or US-6607136-$ or US-6233565-$ or US-6125352-$ or US-6253193-$ or US-5982891-$ or US-6041123-$ or US-6237786-$ or US-6088717-$ or US-5862325-$ or US-5892900-$ or US-5910987-$ or US-5915019-$ or US-5915023-$ or US-5917912-$ or US-5559887-$ or US-5596642-$ or US-5596643-$ or US-5621796-$ or US-5633930-$ or US-5649115-$ or US-5649118-$ or US-5825881-$ or US-5963915-$).did. or (US-5949876-$ or US-5319705-$ or US-5493613-$ or US-5544086-$ or US-5544246-$ or US-6389402-$ or US-6363488-$ or US-6345288-$ or US-6757710-$ or US-6640304-$ or US-6636833-$).did. or (US-20020095454-$ or US-20020112171-$ or US-20020078354-$ or US-20030033161-$ or US-20030088784-$ or US-20030105721-$ or US-20030221110-$ or US-20020078353-$ or US-20020078346-$ or US-20040153649-$ or US-20030135740-$ or US-20030163431-$ or US-20030172090-$ or US-20030172269-$ or US-20020048369-$ or US-20040125077-$ or US-20020138445-$ or US-20020147787-$ or US-20030172290-$ or US-20020116341-$ or US-20030130955-$ or US-20040054630-$ or US-20010018679-$ or US-20010001147-$ or US-20040059924-$ or US-20010037308-$).did. or (US-20010056359-$ or US-20020018585-$ or US-20020023215-$ or US-20030074288-$ or US-20030070078-$ or US-20030061171-$ or US-20040133793-$ or US-20030088483-$ or US-20040103305-$ or US-20040133516-$ or US-20020078345-$ or US-20020078344-$ or US-20020076042-$ or US-20020055909-$ or US-20020073046-$ or US-20030233328-$ or US-20030182414-$ or US-20030191719-$ or US-20040031856-$ or US-20040012567-$ or US-20030028481-$).did.) and decrypt$3 near5 non-secure	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:54
–	21	decrypt$3 near5 non-secure	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:57
–	661	decrypt$3 near5 address	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:57
–	42	decrypt$3 near5 address and merchant	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:57

-		42	(US-5915019-$ or US-5910987-$ or US-5917912-$ or US-5883955-$ or US-5923759-$ or US-5949876-$ or US-6389402-$ or US-6272152-$ or US-6724895-$ or US-5903647-$ or US-5892900-$ or US-5907617-$ or US-6363488-$ or US-5799082-$ or US-5870543-$ or US-5883954-$ or US-6427140-$ or US-5764770-$ or US-6640304-$ or US-5982891-$ or US-5987136-$ or US-6061449-$ or US-6253193-$ or US-6237786-$ or US-5887060-$).did. or (US-20040162990-$ or US-20040159700-$ or US-20030088784-$ or US-20040133793-$ or US-20040103305-$ or US-20040054630-$ or US-20030191719-$ or US-20030172269-$ or US-20040133794-$ or US-20020048369-$ or US-20020023010-$ or US-20010044785-$ or US-20030014371-$ or US-20030163431-$ or US-20030105721-$ or US-20020112171-$ or US-20020116640-$).did.	USPAT; US-PGPUB	2004/09/27 15:57
-		42	((US-5915019-$ or US-5910987-$ or US-5917912-$ or US-5883955-$ or US-5923759-$ or US-5949876-$ or US-6389402-$ or US-6272152-$ or US-6724895-$ or US-5903647-$ or US-5892900-$ or US-5907617-$ or US-6363488-$ or US-5799082-$ or US-5870543-$ or US-5883954-$ or US-6427140-$ or US-5764770-$ or US-6640304-$ or US-5982891-$ or US-5987136-$ or US-6061449-$ or US-6253193-$ or US-6237786-$ or US-5887060-$).did. or (US-20040162990-$ or US-20040159700-$ or US-20030088784-$ or US-20040133793-$ or US-20040103305-$ or US-20040054630-$ or US-20030191719-$ or US-20030172269-$ or US-20040133794-$ or US-20020048369-$ or US-20020023010-$ or US-20010044785-$ or US-20030014371-$ or US-20030163431-$ or US-20030105721-$ or US-20020112171-$ or US-20020116640-$).did.) and decrypt$3 near5 address	USPAT; US-PGPUB; EPO; JPO	2004/09/27 15:58
-		5	decrypt$3 near5 phone same merchant	USPAT; US-PGPUB; EPO; JPO	2004/09/27 16:00
-		4	decrypt$3 near5 (phone adj number) same merchant	USPAT; US-PGPUB; EPO; JPO	2004/09/27 16:00
-		6	decrypt$3 near5 (phone adj number) and merchant	USPAT; US-PGPUB; EPO; JPO	2004/09/27 16:01
-		6	(US-5805719-$ or US-5870723-$ or US-5838812-$ or US-5987440-$ or US-5613012-$).did. or (US-20030105725-$).did.	USPAT; US-PGPUB	2004/09/27 16:01
-		6	((US-5805719-$ or US-5870723-$ or US-5838812-$ or US-5987440-$ or US-5613012-$).did. or (US-20030105725-$).did.) and decrypt$3 near5 (phone adj number)	USPAT; US-PGPUB; EPO; JPO	2004/09/27 16:28
-		1	("5881213").PN.	USPAT	2004/09/27 16:28